


[Madison Home](#) [1] » [Point Level Float Switch Series](#) [2] » Brass Full-Size Switch

Brass Full-Size Switch

[Brass Full-Size Switch](#) [3]



[4]



[5]

Model # M5401

Sensor Reference Information:

- [Electrical Considerations](#) [6]
- [Float Information](#) [7]

- [Float Switch Guide and Float Switch Products](#) [8]
- [Tank Level Control](#) [9]
- [Thermocouple Reference](#) [10]
- [Voltage Ratings](#) [11]

Call for price: 1-800-466-5383 or 203-488-4477

Use the [Product Configurator](#) [12] (Multi level and Continuous level switches, Visual level indicators)

Tabs Group

Specifications	Approvals	CE, UL, CSA
	Electrical Ratings	240 VAC, 0.40A; 120 VAC, 1.00A; 120 VDC, 0.40A; 24 VDC, 1.00A
	Float Material	316 Stainless Steel
	Float SG	0.55
	Lead Wires	24", 24 AWG, Teflon Insulated
	Max Pressure	200 PSI
	Max Temperature	392°F (200°C)
	Mounting	1/4" NPT
	Stem Material	Brass
	Switch Rating	100 Watt, SPST
	Type	Full-Size Float Switch

Source URL: <https://madisonco.com/products/brass-full-size-switch-3>

Links

- [1] <https://madisonco.com/>
- [2] <https://madisonco.com/point-level-float-sensors>
- [3] <https://madisonco.com/products/brass-full-size-switch-3>
- [4] https://madisonco.com/sites/default/files/styles/500px_square_cropped/public/img/M5401_2.jpg?itok=VMo06Lq3
- [5] https://madisonco.com/sites/default/files/styles/500px_square_cropped/public/img/M5400-M5400-SPDT-M5401-M5600-M5600-SPDT-M5601_1.jpg?itok=crq1OAFm
- [6] <https://madisonco.com/electrical-considerations>
- [7] <https://madisonco.com/float-information>
- [8] <https://madisonco.com/float-switch-guide-and-float-switch-products>
- [9] <https://madisonco.com/tank-level-control>
- [10] <https://madisonco.com/thermocouple-reference>
- [11] <https://madisonco.com/voltage-ratings>
- [12] <https://madisonco.com/http>

